

Product show

The main raw material is PVC with ultraviolet resistant agent and additives. Through scientific compounding, made with advanced technology.

- 1.Light weight
- 2.Environmental protection
- 3.waterproof and fireproof
- 4.Easy-installation
- 5.Anti-corrosion
- 6.Good sound insulation

ZXC [upvc roofing sheets manufacturers](#)





PVC Roofing Sheet
Maunufacture Fpr 15 yeas




Annual Output 5913000 m²


Length	1m-12m
Surface	Matt
Weight	3.0-6.8kg/m
Width	1130mm/ 1080mm/ 1050mm/ 980mm/ 930mm
Warranty	30Years
Model Number	ASA PVC Composite Sheet
Function	Insulation, Flame Retardant, Heat Insulation, Anti-corrosion, Impact Resistance
Shape	round wave, big round wave, trepezoidal wave
Fire Protection Rating	B1
Temperature	—10 Degrees Celsius to 70 Degrees Celsius
Color	White, Blue, Gray, Red, customizable
Layers	2 or 3 layers
Color Lasting	10 Years no Fading

Click [custom pvc corrugated roofing sheets](#) to learn more

TYPE 840 PIT



900 TYPE HIGH WAVE (FLOWING WATER FAST)




980 TYPE HIGH WAVE



1080 TYPE HIGH WAVE

(FLOWING WATER FAST)



1130 TYPE WAVELET




1130 TYPE PIT



1100 TYPE HIGH CIRCULAR WAVE



HOLLOW ROOF TILE



Our Factory

Zhongxingcheng New Material Co., Ltd. is located in Foshan City, Nanhai District China is a manufacturer specializing in the production of ASA synthetic resin tile, APVC anti-corrosion composite tile, [custom asa pvc roofing sheet](#), PVC sink, PVC plate, Transparent FRP Roof Sheet, PVC, PC transparent tile.



There are 130 employee



Delivery time **5 DAYS**
About **7000m²** per cabinet
About **28m³**



All new material
No recycled material



Hardness Testing



ASA Surface Thickness Test



Impact Resistance



Tensile Test



Measure product thickness
The product thickness is 2mm



Hot selling area
Central And South America
Oceania, Asia, Africa

PVC plastic steel tile PK iron sheet tile



QUALITY

Has superior corrosion resistance



Rusty and perishable



HEAT
INSULATION

New material plastic steel tile
Good thermal insulation



Direct sunlight iron tile
Temperature too high



COLOUR

ASA PVC ROOF SHEET
Long lasting and non fading



Severe fading



Use scene:greenhouse,
residence,pergola



Exhibition



Certificate



Packaging



FAQ

***Are you manufacturer or trader?**

*Yes, we are real Manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

***Can I order the product with i want to profile?**

*Of course you can, also we will produce the products according to your detail requests.

***Can you put my company's brand on your products?**

*Yes,we are accept OEM&ODM service.But we need some information about your company.

***How to install the roofing sheet?**

*Please contact our service staff, we have installation video for you.

***Can you provide samples for me to open the market and test quality?**

*Yes,we can.We can provide free samples to you ,Could you pay the shipping cost?Please contact our service staff.

***What is your trade term?**

- * Payment: T/T 30% in advance, balance before shipment.
- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan,Guangzhou,Shenzhen