

## Product show

### **ZXC [FRP Roofing Sheet Manufacturers](#) Excllent Anti-corrosion performance:**

The products resist various acids, alkalis and peroxides, especially suitable for application in the coastal areas and corrosive places.

### **Superior light transmission:**

It is between 60-85%. Light through FRP lighting sheet scatters and is mild. It will not form a light band so as to make the indoor brighter.

### **High quality:**

Relative density between 1.3-2.0, only carbon steel 1 / 4-1 / 5, the tensile strength is close, even more than carbon steel, and the specific strength can be compared with the high alloy steel.

FRP load test, invited a weight of about 80 kg of men standing on the span of 130 cm of the Fiberglass clear roofing sheet , the test successfully completed. The test proves that the quality of FRP tile meets the national standard.

### **Weather fastness, ageing resistance:**

Long exposure to the atmosphere, the sun radiation, the product integrity, no deformation, the useful life of up to 10years.

Our ZXC [FRP translucent roofing sheets wholesales](#) custom has price advantages, feel free to contact us for sales or leave us a message!



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

# FRP LIGHTING ROOF TILE



***10-year  
warranty***



Product name	Easy And Fast Installation Types Of Balcony Clear Plastic Roof Covering
Model	frp-01
Surface	Smooth surface
Length	6000mm , 11800mm or customized
Type	Trapezoidal type,Round Wave Type
Overall width	930mm
Effective width	840mm
Purlin spacing	660mm
Thickness	1.0±0.1mm
	1.2±0.1mm
	1.5±0.1mm
	2.0±0.1mm
Weight	1.7±0.1kg/m2
	2.1±0.1kg/m2
	2.6±0.1kg/m2
	3.0±0.1kg/m2
Container Load capacity	
SQ.M./20 FCL (21 Tons)	SQ.M./40 FCL (26 Tons)
12000 m2	15000 m2
10000 m2	12300 m2
8000m2	10000 m2
7000m2	8600m2

# CUSTOMER CASE SHOW

Has more than ten years of production experience



thickness:	1.0mm-2.8mm
width:	1130/ 930/ 900/ 840mm
length:	customizable
waveform:	big hang, small wave
place of origin:	foshan
Be applicable:	Factory buildings, warehouses, marketsresidences, market roads, awnings, canopies, building roofingworks, ceramic factories, etc.



# **A variety of colors, can build different architectural styles**

More colors can be customized



light yellow



blue



grass green



Beige

---

# PRODUCT DISPLAY

Authentic product photography highlights the quality of details





# CUSTOMER CASE SHOW

More than ten years of production experience





# APPLICABLE SCENE DISPLAY

scope of application

~



***planting shed***

Rainproof, constant temperature  
moisturizing space, transparent



***roof***

Good light transmission  
performance, no rain leakage



***Villa shed***

Bright colors, more class



***Recreation area***

Color unevenness due to weathering



# SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered




*sound  
insulation*

*Anti  
-corrosion*

*insulation*

*High  
temperature  
resistance*

*anti  
-stress*



# “ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



## **01** High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is  $-40^{\circ}$ - $120^{\circ}$



## **02** Strong bearing capacity, more impact resistance

Add high quality glass fiber



## **03** Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.





## **04** Impact resistance

Shock resistant, not easy to break



## **05** Good flame retardant performance

Maintain stable performance in the temperature range of  $-40^{\circ}$ - $120^{\circ}$  without softening



## Our Factory

Zhongxingcheng New Material Co., Ltd. is located in Foshan City, Nanhai District China is a manufacturer specializing in the production of ASA synthetic resin tile, APVC anti-corrosion composite tile, PVC anti-corrosion tile, PVC sink, PVC plate, Transparent FRP Roof Sheet, PVC, PC transparent tile.







# FACTORY REAL SHOT DISPLAY

Professional production to do every step





# **Sampling and testing each batch of products to ensure quality**

X



DISPLAY

# CUSTOM PROCESS

Easy shopping, quality assurance,  
after-sales rest assured



— 01 —

## ONLINE CONSULTATION

Provide professional product  
consultation



— 02 —

## PROVIDE PRICING

Provide reasonable price for  
product performance



— 03 —

## PREPAID CUSTOMIZATION

Deposit in advance according  
to different proportions







— **04** —

## ORDER PRODUCTION

Professional and rapid production  
of multiple production lines

— **05** —

## AFTER DELIVERY

Intimate and assured after-sales  
service



Exhibition





# Certificate

# Security sense of authoritative testing

Multiple quality inspection and testing  
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification





## Packaging



## FAQ

**\*Are you manufacturer or trader?**

\*Yes, we are real Manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

**\*Can I order the product with i want to profile?**

\*Of course you can, also we will produce the products according to your detail requests.

**\*Can you put my company's brand on your products?**

\*Yes, we accept OEM&ODM service. But we need some information about your company.

**\*How to install the roofing sheet?**

\*Please contact our service staff, we have installation video for you.

**\*Can you provide samples for me to open the market and test quality?**

\*Yes, we can. We can provide free samples to you, Could you pay the shipping cost? Please contact our service staff.

**\*What is your trade term?**

\* Payment: T/T 30% in advance, balance before shipment.

- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan, Guangzhou, Shenzhen