

Product show

FRP roof sheet excellent anti-corrosion performance:

The products resist various acids, alkalis and peroxides, especially suitable for application in the coastal areas and corrosive places.

Superior light transmission:


It is between 60-85%. Light through FRP lighting sheet scatters and is mild. It will not form a light band so as to make the indoor brighter.

High quality:

Relative density between 1.3-2.0, only carbon steel 1 / 4-1 / 5, the tensile strength is close, even more than carbon steel, and the specific strength can be compared with the high alloy steel. FRP load test, invited a weight of about 80 kg of men standing on the span of 130 cm of the Fiberglass clear roofing sheet, the test successfully completed. FRP roofing sheet supplier China the test proves that the quality of FRP tile meets the national standard.

Weather fastness, ageing resistance:

Long exposure to the atmosphere, the sun radiation, the product integrity, no deformation, the useful life of up to 10years.





| Product name | | Easy And Fast Installation Types Of Balcony Clear Plastic Roof Covering | |
|--------------------------------|--|---|--|
| Model | | frp-01 | |
| Surface | | Smooth surface | |
| Length | | 6000mm , 11800mm or customized | |
| Type | | Trapezoidal type,Round Wave Type | |
| Overall width | | 930mm | |
| Effective width | | 840mm | |
| Purlin spacing | | 660mm | |
| Thickness | | 1.0±0.1mm | |
| | | 1.2±0.1mm | |
| | | 1.5±0.1mm | |
| | | 2.0±0.1mm | |
| Weight | | 1.7±0.1kg/m ² | |
| | | 2.1±0.1kg/m ² | |
| | | 2.6±0.1kg/m ² | |
| | | 3.0±0.1kg/m ² | |
| Container Load capacity | | | |
| SQ.M./20 FCL (21 Tons) | | SQ.M./40 FCL (26 Tons) | |
| 12000 m ² | | 15000 m ² | |
| 10000 m ² | | 12300 m ² | |
| 8000m ² | | 10000 m ² | |
| 7000m ² | | 8600m ² | |

Applicable fields

Quality assurance, factory supply



Car parks



Lounge area



Waiting platform



Large factory area



Sunshine room



Flower field

case display
Learn all about our products



factory aisle



Flower Field



cattle farm



brick factory drying bricks


Our Factory

Zhongxingcheng New Material Co., Ltd. is located in Foshan City, Nanhai District China is a manufacturer specializing in the production of ASA synthetic resin tile, APVC anti-corrosion composite tile, PVC anti-corrosion tile, PVC sink, PVC plate, Transparent FRP Roof Sheet, PVC, PC transparent tile.






Capacity: 13000 meters per day




30% glass fiber, 70% resin



A corner of the workshop



The light transmittance is good



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

***Are you manufacturer or trader?**

*Yes, we are real Manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

***Can I order the product with i want to profile?**

*Of course you can, also we will produce the products according to your detail requests.

***Can you put my company's brand on your products?**

*Yes,we are accept OEM&ODM service.But we need some information about your company.

***How to install the roofing sheet?**

*Please contact our service staff, we have installation video for you.

***Can you provide samples for me to open the market and test quality?**

*Yes,we can.We can provide free samples to you ,Could you pay the shipping cost?Please contact our service staff.

***What is your trade term?**

* Payment: T/T 30% in advance, balance before shipment.

- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan,Guangzhou,Shenzhen