

## Product show

**Excelente desempenho anticorrosivo:** Os produtos resistem a vários ácidos, álcalis e peróxidos, especialmente indicados para aplicação em áreas costeiras e locais corrosivos.

**Transmissão de luz superior:** É entre 60-85%. A luz através da folha de iluminação FRP se espalha e é suave. Não formará uma faixa de luz para tornar o interior mais brilhante.

**Alta qualidade:** Densidade relativa entre 1,3-2,0, apenas aço carbono 1/4-1/5, a resistência à tração é próxima, ainda mais do que o aço carbono, e a resistência específica pode ser comparada com o aço de alta liga.

Teste de carga FRP, convidou um peso de cerca de 80 kg de homens em pé no vão de 130 cm da telha transparente de fibra de vidro, o teste foi concluído com sucesso. O teste prova que a qualidade da telha FRP atende ao padrão nacional.

**Solidez do tempo, resistência ao envelhecimento:** Longa exposição à atmosfera, à radiação solar, integridade do produto, sem deformação, vida útil de até 10 anos.

Nosso ZXC tem [preço de painéis de fibra de vidro ondulado](#) vantagens, não hesite em contactar-nos para vendas ou deixe-nos uma mensagem!



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

# FRP LIGHTING ROOF TILE



***10-year  
warranty***



<b>Nome do Produto</b>	Tipos de instalação fácil e rápida de cobertura de telhado de plástico transparente para varanda	
<b>Modelo</b>	frp-01	
<b>Superfície</b>	Superfície lisa	
<b>Comprimento</b>	6000mm, 11800mm ou personalizado	
<b>Tipo</b>	Tipo trapezoidal, tipo de onda redonda	
<b>Largura total</b>	930mm	
<b>Largura efetiva</b>	840mm	
<b>espaçamento purlin</b>	660mm	
<b>Grossura</b>	1,0±0,1mm	
	1,2±0,1mm	
	1,5±0,1mm	
	2,0±0,1mm	
<b>Peso</b>	1,7±0,1kg/m <sup>2</sup>	
	2,1±0,1kg/m <sup>2</sup>	
	2,6±0,1kg/m <sup>2</sup>	
	3,0±0,1kg/m <sup>2</sup>	
<b>Capacidade de Carga do Contêiner</b>		
<b>SQ.M./20 FCL (21 Toneladas)</b>	<b>SQ.M./40 FCL (26 Toneladas)</b>	
12000 m <sup>2</sup>	15000 m <sup>2</sup>	
10000 m <sup>2</sup>	12300 m <sup>2</sup>	
8000m <sup>2</sup>	10000 m <sup>2</sup>	
7000m <sup>2</sup>	8600m <sup>2</sup>	

Clique [painel de telhado de pvc transparente à venda](#) aprender mais

# CUSTOMER CASE SHOW

Has more than ten years of production experience



grossura:	1,0 mm-2,8 mm
largura:	1130/ 930/ 900/ 840mm
comprimento:	Customizável
forma de onda:	grande travamento, pequena onda
lugar de origem:	foshan
Seja aplicável:	Edifícios de fábricas, armazéns, mercados, residências, estradas de mercado, toldos, marquises, coberturas de edifícios, fábricas de cerâmica, etc.

# A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green



Beige

---

# PRODUCT DISPLAY

Authentic product photography highlights the quality of details



# CUSTOMER CASE SHOW

More than ten years of production experience



# APPLICABLE SCENE DISPLAY

scope of application

~



## *planting shed*

Rainproof, constant temperature  
moisturizing space, transparent



## *roof*

Good light transmission  
performance, no rain leakage



## *Villa shed*

Bright colors, more class



## *Recreation area*

Color unevenness due to weathering



# SIX REASONS TO CHOOSE US

“

Iron tiles can be directly covered




*sound  
insulation*

*Anti  
-corrosion*

*insulation*


*High  
temperature  
resistance*

*anti  
-stress*



# “ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



## **01** High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



## **02** Strong bearing capacity, more impact resistance

Add high quality glass fiber



## **03** Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



## **04** Impact resistance

Shock resistant, not easy to break



## **05** Good flame retardant performance

Maintain stable performance in the temperature range of  $-40^{\circ}$ - $120^{\circ}$  without softening




## Our Factory

Zhongxingcheng New Material Co., Ltd. está localizado na cidade de Foshan, distrito de Nanhai China é um fabricante especializado na produção de telha de resina sintética ASA, telha composta anticorrosiva APVC, telha anticorrosiva de PVC, pia de PVC, placa de PVC, Folha de telhado FRP transparente, PVC, telha transparente de PC.



# FACTORY REAL SHOT DISPLAY

Professional production to do every step



# Sampling and testing each batch of products to ensure quality

X



DISPLAY

# CUSTOM PROCESS

Easy shopping, quality assurance,  
after-sales rest assured



01

## ONLINE CONSULTATION

Provide professional product  
consultation



02

## PROVIDE PRICING

Provide reasonable price for  
product performance

03

## PREPAID CUSTOMIZATION

Deposit in advance according  
to different proportions







— **04** —

**ORDER  
PRODUCTION**

Professional and rapid production  
of multiple production lines

— **05** —

**AFTER  
DELIVERY**

Intimate and assured after-sales  
service



**Exhibition**



# Certificate

# Security sense of authoritative testing

## Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



## Packaging



## FAQ

**\*Você é fabricante ou comerciante?**

\*Sim, somos fabricantes reais, há muitas fotos na apresentação da nossa empresa. Se você precisar de outro produto especial, faremos o possível para ajudá-lo, para que possamos construir um relacionamento comercial de longo prazo.

**\*Posso encomendar o produto com o perfil que desejo?**

\*Claro que você pode, também produziremos os produtos de acordo com suas solicitações detalhadas.

**\*Você pode colocar a marca da minha empresa em seus produtos?**

\* Sim, aceitamos serviço de OEM e ODM. Mas precisamos de algumas informações sobre sua empresa.

**\* Como instalar a telha?**

\* Entre em contato com nossa equipe de atendimento, temos um vídeo de instalação para você.

**\*Você pode fornecer amostras para eu abrir o mercado e testar a qualidade?**

\* Sim, nós podemos. Nós podemos fornecer amostras grátis para você, você poderia pagar o custo de envio? Entre em contato com nossa equipe de atendimento.

**\* Qual é o seu termo comercial?**

\* Pagamento: T/T 30% adiantado, saldo antes do envio.

• Prazo de entrega da produção: Dentro de 7 dias úteis após o depósito de 30%

• FOB Porto de embarque: Foshan, Guangzhou, Shenzhen