






Foshan ZXC ASA Telha de Resina Sintética é um novo tipo de Material de cobertura produzido por tecnologia avançada de coextrusão e processo de moldagem especial usando resina de engenharia ASA de resistência ultra-alta.

Nome do Produto	telha de resina sintética
Lugar de origem	Cidade de Foshan, província de Guandong, China (continente)
Garantia	25 anos
Prazo de entrega	1x20GP por 6 dias, 1x40GP por 7 dias
Largura total	1050mm
Grossura	2,3 mm/ 2,5 mm/ 2,8 mm/ 3,0 mm
Espaçamento de onda	160mm
Marca	ZXC
Material	Copolímero de acrilato de acrilonitrila estireno, cloreto de polivinila, pó de cálcio, outros materiais químicos
Certificação	ISO9001/SGS/CE
Comprimento da seção	219mm
Largura efetiva	960mm
Comprimento	Deve ser um múltiplo da seção
Altura da onda	30mm

1. Quantidade mínima de pedido 100 metros quadrados
2. Capacidade de fornecimento Temos 8 linhas de produção, cerca de 13500 metros quadrados todos os dias
3. Condições de pagamento T/T, primeiro pague o depósito de 30%, antes de carregar o contêiner, pague o restante do pagamento L/C.
4. Serviço de carga de contêiner completo (FCL) de envio, fazemos isso sozinhos.
Serviço de carga menor que o contêiner (LCL), encontramos nossos agentes para fazê-lo.
Pacote Paleta ou saco PE
Porto Guangzhou / Shenzhen / Foshan
5. Aplicação Cobertura de villa, cobertura de casa, jardim, granja, casa de contêiner, projeto plano a inclinado, etc.





Claret



Orange



Blue



Dark Gray



Dark Green



Brick



Blue Gray



▶ Step1



▶ Step2



▶ Step3




▶ Step4



▶ Step5



▶ Step6



Imagens detalhadas

ZXC ASA

Telha de Resina Sintética
Super tenacidade, garantida por 50 anos. A cor é mais brilhante, bonita, mas não desbota. Anti-granizo, substituição livre de massa. Isto é usar melhor resina como matéria-prima para garantir melhor tenacidade e vida útil mais longa.



descrição do material

Matéria-prima ASA importada da GELOY Co., Ltd. A superfície é brilhante como um espelho. Não contendo amianto e radioativo elementos, recicláveis e que atendem plenamente aos requisitos de proteção ambiental verde.

Aplicativo

Plantas de alta qualidade, fábricas de aço, armazéns, mercado agrícola, acesso ao mercado, galpões e outros materiais de cobertura de alta qualidade.

Especialmente em plantas químicas corrosivas, fundições, fábricas de cerâmica, fábrica de molho de soja, fábricas de produtos químicos, fábrica de impressão e tingimento, fábrica de solventes orgânicos, ácidos, álcalis e outras plantas corrosivas.



características do produto



1.Lasting Color

ZXC ASA roof tile is coated with ASA on surface and PVC on bottom, it is stable when exposed to chemical agents such as industrial emissions, fog, salt, acids, alkali etc.



2.Excellent Anti-load Performance

After testing, with a support distance of 660mm, loading 150kg, the roof tile will not crack and damage.



3.Good Sound Insulation

Has good noise absorption performance when it is affected by external noise such as heavy rain and wind.



4.Excellent anti-corrosion performance

After soaking for 24 hours in salt, alkali and 60% of various acids. It is very suitable for using in acid rain areas coastal areas, and the effect is particularly remarkable.



5.Excellent heat preservation and insulation performance

ZXC ASA roof tile is coated with ASA on surface and PVC on bottom, it is stable when exposed to chemical agents such as industrial emissions, fog, salt, acids, alkali etc.



6.Fire Proof Grade B

Difficult to burn, the fire proof level can reach Grade B and meets the common safety requirements in most areas.



7.Excellent Insulating Property

ASA synthetic resin roof tile is an insulation product, and it will be intact in case of accidental discharge.



7.Quick Installation

ASA synthetic resin roof tile has an effective width 960mm and high paving efficiency, light weight, easy loading and unloading, and with complete installation accessories.

introdução da companhia



Foshan ZXC New Material Technology Co., Ltd is a professional manufacture for ASA Synthetic Resin Roof Tile, PVC Anti-corrosion Roof Sheet, APVC Plastic Roofing Sheet, UPVC heat insulation Roofing Sheet, Fiberglass Transparent Roof Sheet, PC clear roofing sheet, PVC Rain Gutter and Accessories.

We are located in Xiebian industrial area, Danzao Town, Nanhai District, Foshan City, Guangdong Province, China. We have 8 produce line, about 200 employee, Plant covers an area of 15000 square meters.

Welcome to contact us!



We are adopt advanced production equipment and technology we talk the rigorous science, green low-carbon production philosophy and humane management as the core.



We own good software and hardware facilities and obtained ISO9001:2008 international quality system certification as well as CE certification.

Create industry brand, build a beautiful home, Good quality, Good service. It's our sales philosophy

 Please contact us to show you!



Our Customer



Our Team



Company History Timelines

2015

Expanding the production scale, owning 4 production lines, passed certifying of ISO9001: 2008 quality management system



2016

- Foshan ZXC plastic manufacturer was upgraded as Foshan ZXC New Material Technology Co., Ltd. The new facilities in high level have been completed and launched for mass production, covering an area of 15,000 square meters owning 8 production lines with annual output of 4,500,000 square meters. We were also successfully selected as CCTV brand show



2017

- Selected as member of National Union of Resin tiles, taking part in working on the national standard on the ASA roofing tile sheet



2018

- Honored as Vice-president of the Roof tiles Committee of China Association for the Circulation of Building Materials



2013

2010

Foshan ZXC plastic manufacturer was set up and the 1st production line was formed



2011

- Expanding the production scale, built the 2nd production line



- Expanding the production scale, owning 3 production lines, successfully searched ASA synthetic resin tile, 980 high wave plastic tile and launched to mass production

