□□□□□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□:□□□□□□□□□ □□□ (□□□□□□□□□□□□□)
□□□□□□□□□□□: ZXC
□□□□□□□□□□□□:□□□□□□□
□□:□□□□□ □□□□□
□□□□□□□□:6□
□□□□□□:□□□□□□□
□□□□□□□□:0.5 □□. - 3.0 □□

Parameters



White

Blue


Slot card
Sealing water
Angle iron
Seal
Connecting with PVC glue and launching directly
Direct launching


Angle iron
PVC gutter
1.5m-2m

Accessories

1.drains

2.The sealing



3.The water seal



4.butt

Advantage

1. PVC coextrusion □□□□□ □□□□□□□□□□□□□□
2. □□□□□□□□□□□□□□□□, □□□□□□□□□□□□□, □□□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□, □□□□□□□
3. □□□□□□□□□□□□□□□□□□□□□□□□□□
4. □□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□
5. □□□□□□□□□□□□

Project

FAQ

1.Q: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□?
□□□: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□ PVC, □□□ PVC, □□□ PPR □□□□□□□□□□□□□□□
2.Q: □□□□□□□□□□□□□□□□□□□□□□□□?
□□□: □□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ Foshan City, Nanhai District, Danzao Town,

Hengjiang New Road

[illegible] 10 [illegible]

3.Q: [illegible] [illegible]?

[illegible]:

(1) [illegible] ([illegible] x [illegible] x [illegible], [illegible])

(2) [illegible]

(3) [illegible]

4.Q: [illegible]?

[illegible]: [illegible]

5.Q: [illegible]?

[illegible]: [illegible] T/T [illegible] L/C [illegible] 30% [illegible] T/T, Western Uion

6.Q: [illegible]?

[illegible]: [illegible] 5 [illegible] [illegible] [illegible] [illegible]

7.Q: [illegible]?

[illegible]: [illegible] [illegible]

8.Q: [illegible]?

[illegible]: [illegible] 15 [illegible]

Our Factory



□□□□□□□□□

Foshan Supervision Testing Centre of Quality and Metrology
Test Report
检 验 报 告
Test Report
质量管理体系认证证书
Quality Management System Certificate
GB/T19001-2008/ISO9001:2008
celab
CERTIFICATE
Beide
APPLICATION FOR CONSTRUCTION PRODUCTS DIRECTIVE
On Behalf of
FOSHAN ZHONG XING CHENG PLASTIC FACTORY
Plastic Tile
Model: ASA-1

Our Customer