

Product show

ZXC RP

[illegible][illegible]

□□□□□□□□□□ 60-85% □□□□□□□□□□ FRP □□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□:

1-3-2.0 1 / 4-1 / 5

[illegible]

XXXXXXXXXXXXXXXXXXXX, XXXXXXXXXXXXXXXXXXXX:

□□□□□□□□□□□□□□□□ □□□□□□□□□□ □□□□□□□□□□□□□□□□ □□□□□□□□□□
□□□□□□□□□□□□□□□□ 10 □

ZXC □□□□□□□□ □□□□□□□□

[illegible]



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***

CUSTOMER CASE SHOW

Has more than ten years of production experience



厚度:	1.0mm-2.8mm
规格:	1130/ 930/ 900/ 840mm
材质:	铝
表面处理:	阳极氧化
用途:	建筑幕墙、室内装饰
产地:	中国
联系方式:	020-88888888 13808888888 13808888888 13808888888 13808888888 13808888888

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue




grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered




*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening




Zhongxingcheng New Material Co., Ltd. 中興成新材料股份有限公司 係由中國台灣省台北市之中華經濟技術發展有限公司（以下簡稱「台經公司」）與日本ASAHI KASEI CO., LTD.（以下簡稱「ASA」，中文譯名為「旭化成株式會社」）共同出資設立。本公司主要經營APVC、PVC、PVC、PC等塑膠產品之生產及銷售。



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance



— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





—04—

ORDER PRODUCTION

Professional and rapid production
of multiple production lines

—05—

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

* 如何包裝？

* 我們提供多種包裝方案，包括：
 1. 標準包裝：每包 10 片，重量約 100 公斤。
 2. 大包裝：每包 20 片，重量約 200 公斤。
 3. 定制包裝：根據客戶需求進行包裝。

* 如何運輸？

* 我們提供多種運輸方案，包括：
 1. 公路運輸：適用於短途運輸。
 2. 鐵路運輸：適用於長途運輸。
 3. 海運：適用於大批量運輸。

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 貴公司是否提供 OEM 或 ODM 服務？請提供相關之詳細資料？

* 請提供貴公司之產品目錄？

* 請提供貴公司之產品之詳細資料，包括產品名稱、規格、價格、數量等？

* 請提供貴公司之產品之詳細資料，包括產品名稱、規格、價格、數量等？

* 請提供貴公司之產品之詳細資料，包括產品名稱、規格、價格、數量等？
請提供貴公司之產品之詳細資料，包括產品名稱、規格、價格、數量等？

* 請提供貴公司之產品之詳細資料，包括產品名稱、規格、價格、數量等？

* 請提供貴公司之產品之詳細資料，包括產品名稱、規格、價格、數量等？

• 請提供貴公司之產品之詳細資料，包括產品名稱、規格、價格、數量等？

• FOB Shipping Port: Foshan, 貴州省, 貴陽市