

Product show

1. 产品概述
 2. 产品特点
 3. 产品优势
 4. 产品应用
 5. 产品规格
 6. 产品参数

1. 产品概述
2. 产品特点
3. 产品优势
4. 产品应用
5. 产品规格
6. 产品参数



zxc roofing tile industry

After sales less is really good

Ten years of slow fading, **30** years of warranty



GOOD CHOICE

Our advantage



Intimate service,
strong product
supply capacity



product
available



A variety of
styles and
specifications
sufficient stock



Support
customization



Specifications and sizes
can be consulted with
customer service in
detail, and quotations
can be customized



Worry-free
after sales



Manufacturers
wholesale quality
assurance, affordable
prices, worry-free
after-sales

SOURCE MANUFACTURER

>



/

THE TROUBLES OF TRADITIONAL ROOF TILES

#

other products

×



severely faded

Wind and sun soften and fade



There is a gap

Uneven with gaps, leaking rain



uneven color

Weathered uneven color
phenomenon




Fragile

Fragile and complicated
to install

our products ✓

Ten years of slow fading, 30 years of warranty



Uniform color, durable and not easy to fade
Good quality, durable and bright.




high toughness



Strong pressure resistance

Effective insulation



good sound insulation



thermal and acoustic insulation high-quality
Good sound insulation effect in case of external noise



preservative
Anti-acid and alkali



flame retardant performance
b1 class fire performance

PRODUCT PARAMETERS

#

>



thickness: 1.0mm-3.0mm
width: 1130/980/900/840/1080mm
length: customizable
waveform: big hang, small wave
type: asa plastic roofing tile
Be applicable: Factory buildings, ware houses, markets, residences, market roads, canopies, chemically corrosivefactories

A variety of colors, optional to build different architectural styles

More colors can be customized




<Mlight yellow>



<dark blue>




<grass green>



<Beige>

Accessories and Installation Diagram



*pvc plastic waterproof cap, used with self-tapping screws to fix the tile on the skeleton



CUSTOMER CASE SHOW





Our Factory

Zhongxingcheng New Material Co., Ltd. 中国兴成新材料股份有限公司 专业从事 ASA, 聚碳酸酯 PC 等工程塑料的研发、生产和销售。

APVC, PVC, PVC, FRP, PVC, PC



Quality inspection instruments strictly control the quality


Each batch of products has undergone rigorous testing.




Gravity testing



Hardness testing



Tensile force testing



Impact resistance testing

Factory display



In-stock inventory



Own production line



Own production line



Exhibition



Certificate

Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification






检

佛山市质
Foshan Supervision

佛山市质量计量监督检测中心

检 验 报 告

表号: QH-049-A2 No: G14-WT1489

第 2 页 第 2 页

序号	检测项目	单位	标准 要 求	检 测 结 果	备 注
1	外观	——	表面光滑平整, 厚度均匀, 色泽一致。 无裂纹、缺口、破孔、翘翘、气泡、明显麻点、异色点	符合	合格
2	密度	g/cm ³	1.45~1.65	1.64	合格
3	弯曲性能	mm	支撑跨度300mm, 载荷40kg, 允许跨度<50	15	合格
4	冲击性能	——	1kg重钢球, 1.5m, 自由落体, 冲击试样无碎裂, 按标准规定的冲击试验后不得产生贯穿的孔穴或裂纹。	符合	合格
5	杂质数	%	≥10	43	合格

审核: 王博强 王博强 主检: 陈郁聪 陈郁聪

全部合格



中 心

第 2 页 第 3 页

生产日期	——
编号或批号	——
标准编号	——
检验类别	委托检验
样品数量	2件
抽样日期	2019/04/12(1)
检测人	李海平

100%合格的要求。

二〇一八年四月十二日

佛山市质量监督检测中心(检验检测机构) 资质

主检: 陈郁聪 陈郁聪

Packaging



FAQ

[illegible]

* □□□ □□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□
□□□

*

* □□□□□□□□□□ □□□

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

• 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

• FOB Shipping Port: Foshan, 佛山, 廣東省