

Product show

XXXXXXXXXX **ZXC FRP** XX:

[illegible][illegible]

60-85% FRP

□□□□□□□□:

1.3-2.0 1 / 4-1 / 5

[FRP](#)

_____, _____:

10

ZXC ██████████ FRP ██████████

☐ PVC ☐ ☐ ☐ ☐ FRP ☐ ☐ ☐

[illegible][illegible]

FRP

[illegible]



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***



Complete specifications



Support customization



Adequate inventory



product available



項目	規格・仕様
品名	FRP-01
材質	FRP（繊維強化プラスチック）
寸法	6000 mm × 11800 mm（標準仕様）
重量	約 1.2 t（標準仕様）
色	白（標準仕様）
強度	930 N/mm ²
耐熱性	840℃
耐腐食性	660℃
寸法公差	1.0±0.1 mm
強度公差	1.2 ± 0.1 %
重量公差	1.5 ± 0.1 %
色公差	2.0±0.1 mm
強度公差	1.7±0.1 mm/mm
重量公差	2.1±0.1 mm/mm
色公差	2.6±0.1 mm/mm
強度公差	3.0±0.1 mm/mm
梱包・出荷仕様	
梱包単位	20 FCL (21 個)
積込数	12,000 個
積込面積	10,000 m ²
積込体積	8000m ³
積込重量	7000m ²
梱包・出荷仕様	
梱包単位	40 FCL (26 個)
積込数	15,000 個
積込面積	12300 m ²
積込体積	10,000 m ³
積込重量	8600m ²

本製品は、FRP（繊維強化プラスチック）製で、強度が高く、耐熱性・耐腐食性に優れています。また、重量が軽いため、輸送・取扱いが容易です。

本製品は、FRP（繊維強化プラスチック）製で、強度が高く、耐熱性・耐腐食性に優れています。また、重量が軽いため、輸送・取扱いが容易です。

本製品は、FRP（繊維強化プラスチック）製で、強度が高く、耐熱性・耐腐食性に優れています。また、重量が軽いため、輸送・取扱いが容易です。

CUSTOMER CASE SHOW

Has more than ten years of production experience



厚度:	1.0mm-2.8mm
规格:	1130/ 930/ 900/ 840mm
材质:	铝镁锰合金
表面处理:	氟碳喷涂/ 阳极氧化
应用:	机场航站楼、高铁站、会展中心、体育场馆、学校、医院、政府大楼、酒店、别墅、工业厂房、仓库、屋顶、墙面、装饰
优势:	强度高、耐腐蚀、使用寿命长、安装方便、维护简单、防火性能好、环保无毒、可回收利用

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered



*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening



The light is astigmatism, the light is soft, and the light transmittance is high.

Zhongxingcheng New Material Co., Ltd. 主要从事塑料挤出、注塑、吹塑等塑料制品的生产，产品种类丰富，包括 ASA, APVC, PVC, PC, FRP 等。



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance



— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





— **04** —

ORDER PRODUCTION

Professional and rapid production
of multiple production lines

— **05** —

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

* 如何包裝？

* 我們提供多種包裝方案，包括：
 1. 標準包裝：每包 10 片，重量約 100 公斤。
 2. 大包裝：每包 20 片，重量約 200 公斤。
 3. 定制包裝：根據客戶需求進行包裝。

* 如何運輸？

* 我們提供多種運輸方案，包括：
 1. 公路運輸：適用於短途運輸。
 2. 鐵路運輸：適用於長途運輸。
 3. 水運：適用於大批量運輸。

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 貴公司是否提供 OEM 或 ODM 服務？請提供相關之詳細資料？

* 請提供貴公司之產品目錄？

* 請提供貴公司之產品樣品或照片？

* 請提供貴公司之產品價格表？

* 請提供貴公司之產品規格書？

請提供貴公司之產品規格書，包括產品名稱、規格、尺寸、重量、顏色、材質、用途、包裝、運輸、儲存等詳細資料。

* 請提供貴公司之產品包裝設計？

* 請提供貴公司之產品包裝規格：T/T 30% 預付，其餘 70% 在出貨前付清。

• 請提供貴公司之產品包裝規格：包裝尺寸 7 公分，包裝重量 30%。

• FOB Shipping Port: Foshan, 中國廣東省，佛山。