

Product show

FRP

[illegible][illegible]

□□□□□□□□ 60-85% □□□□□□□□ FRP □□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□ □□□□□□□□□□□□□□□□ **FRP** □□□□□□□□□□□□□□□□

1.3-2.0 1 / 4-1 / 5
 FRP
 80 130
 FRP

□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□□□

[illegible]

ZXC □□□□□□□□□□ □□□□□□□□□□

[illegible]



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***

CUSTOMER CASE SHOW

Has more than ten years of production experience



厚度:	1.0 mm-2.8 mm
规格:	1130/ 930/ 900/ 840mm
材质:	铝
表面处理:	阳极氧化
用途:	建筑、工业、装饰
产地:	中国
其他:	可根据客户要求定制各种规格和颜色

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered



*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening



The light is astigmatism, the light is soft, and the light transmittance is high.

Zhongxingcheng New Material Co., Ltd. 主要从事塑料挤出、注塑、吹塑等塑料制品的生产，产品种类丰富，包括 ASA, APVC, PVC, PC, FRP 等。



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance



— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





— **04** —

ORDER PRODUCTION

Professional and rapid production
of multiple production lines

— **05** —

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

* 如何包裝？

* 如何包裝？
 如何包裝？
 如何包裝？
 如何包裝？

* 貴社が提供される製品の品質をどのように保証されるのでしょうか？

* 貴社の製品は、どのような規格や基準に準拠しているのでしょうか？

* 貴社の製品は、どのような用途やシーンで利用されるのでしょうか？

* 貴社が提供される製品の OEM 製品 ODM 製品は、どのような違いがあるのでしょうか？

* 貴社の製品の価格をどのように決定されるのでしょうか？

* 貴社の製品の納期は、どのように決定されるのでしょうか？

* 貴社の製品の保証期間は、どのように決定されるのでしょうか？

* 貴社の製品の返品ポリシーは、どのように決定されるのでしょうか？
貴社の製品の返品ポリシーは、どのように決定されるのでしょうか？

* 貴社の製品の梱包方法は、どのように決定されるのでしょうか？

* 貴社の製品の配送方法は、T/T によって 30% どのように決定されるのでしょうか？

• 貴社の製品の配送方法は、7 日以内にどのように決定されるのでしょうか？ 30%

• FOB Shipping Port: Foshan, 貴社の製品は、どのように決定されるのでしょうか？