

Product show

FRP

$\frac{1}{n} \sum_{i=1}^n x_i = \bar{x}$

[illegible]

60-85% FRP

□ □ □ □ □ □ □ □

1.3-2.0 1 / 4-1 / 5
 FRP 80 130 . FRP

□□□□□□□□□□□□□□□□, □□□□□□□□□□□□□□□□

[illegible][illegible]



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***



Complete specifications



Support customization



Adequate inventory



product available



項目	規格・仕様
製品名	frp-01
材質	FRP（繊維強化プラスチック）
寸法	6000 mm, 11800 mm, 11800 mm
重量	約 1.7t（標準仕様）
設置場所	屋内・屋外（防雨・防湿仕様あり）
設置方法	930mm
設置場所	840mm
設置場所	660mm
設置場所	1.0±0.1mm
設置場所	1.2 ± 0.1 mm
設置場所	1.5 ± 0.1 mm
設置場所	2.0±0.1mm
設置場所	1.7±0.1mm/1.7mm
設置場所	2.1±0.1mm/2.1mm
設置場所	2.6±0.1mm/2.6mm
設置場所	3.0±0.1mm/3.0mm
FRP-01/20 FCL (21 仕様)	
FRP-01/20 FCL (21 仕様)	FRP-01/40 FCL (26 仕様)
12,000 mm	15,000 mm
10,000 mm	12300 mm
8000m2	10,000 mm
7000m2	8600m2

FRP-01/20 FCL (21 仕様) FRP-01/40 FCL (26 仕様)

FRP-01/20 FCL (21 仕様) FRP-01/40 FCL (26 仕様)

!

CUSTOMER CASE SHOW

Has more than ten years of production experience



厚度:	1.0 mm-2.8 mm
宽度:	1130/ 930/ 900/ 840mm
长度:	可定制
重量:	可定制
表面处理:	镀锌
应用:	建筑屋顶、工业厂房、农业大棚、交通设施、装饰工程

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue




grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered




*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening




The light is astigmatism, the light is soft, and the light transmittance is high.

Zhongxingcheng New Material Co., Ltd. 專營各種規格尺寸之ASA, APVC, PVC, PVC, PVC, PC 及FRP 等各種工程塑料。



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance



— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





— **04** —

ORDER PRODUCTION

Professional and rapid production
of multiple production lines

— **05** —

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

* 如何包裝？

* 我們提供多種包裝方案，包括：
 1. 標準包裝：每包 10 片，重量約 15 公斤。
 2. 大包裝：每包 20 片，重量約 30 公斤。
 3. 定制包裝：根據客戶需求進行包裝。

* 如何運輸？

* 我們提供多種運輸方案，包括：
 1. 公路運輸：適用於短途運輸。
 2. 鐵路運輸：適用於長途運輸。
 3. 海運：適用於大批量運輸。

* 請提供貴公司之詳細資料及產品目錄？

* 我們 是製造商還是經銷商？ OEM 還是 ODM ？ 請提供貴公司之詳細資料及產品目錄？

* 請提供貴公司之詳細資料及產品目錄？

* 請提供貴公司之詳細資料及產品目錄？ 請提供貴公司之詳細資料及產品目錄？

* 請提供貴公司之詳細資料及產品目錄？

* 請提供貴公司之詳細資料及產品目錄？ 請提供貴公司之詳細資料及產品目錄？ 請提供貴公司之詳細資料及產品目錄？

* 請提供貴公司之詳細資料及產品目錄？

* 請提供貴公司之詳細資料及產品目錄： T/T 請提供貴公司之詳細資料及產品目錄

• 請提供貴公司之詳細資料及產品目錄： 請提供 7 請提供貴公司之詳細資料及產品目錄 30%

• FOB Shipping Port: Foshan, 請提供貴公司之詳細資料及產品目錄