

Product show

本公司生产的 **ZXC FRP** 产品广泛应用于各种工业领域，具有优异的耐腐蚀性能：

1. [耐腐蚀性强](#)

本产品采用优质树脂和纤维制成，能够有效抵抗各种酸、碱、盐等腐蚀性介质的侵蚀，使用寿命长。

2. [强度高](#)

本产品具有优异的机械性能，抗拉强度可达 60-85% 的 FRP 产品，能够满足各种工业结构的要求。

3. [重量轻](#)

本产品密度低，重量仅为普通钢材的 1/3-2.0，便于运输和安装。同时，其抗冲击性能优异，能够在恶劣工况下保持稳定。

4. [使用寿命长](#)

本产品采用 FRP 材料，具有优异的耐候性和抗老化性能，能够在各种恶劣环境下长期使用，维护成本低。

5. [安装方便](#)，[维护简单](#)：

本产品采用模块化设计，安装简便，无需复杂的施工工艺。同时，其维护简单，只需定期清洗即可保持性能。

ZXC 产品广泛应用于各种工业领域，具有优异的耐腐蚀性能：

1. [耐腐蚀性强](#)

本产品采用优质树脂和纤维制成，能够有效抵抗各种酸、碱、盐等腐蚀性介质的侵蚀，使用寿命长。

2. [强度高](#)

本产品具有优异的机械性能，抗拉强度可达 60-85% 的 FRP 产品，能够满足各种工业结构的要求。

3. [重量轻](#)

本产品密度低，重量仅为普通钢材的 1/3-2.0，便于运输和安装。同时，其抗冲击性能优异，能够在恶劣工况下保持稳定。



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***



Complete specifications



Support customization



Adequate inventory



product available



項目	規格・仕様
製品名	frp-01
材質	FRP（繊維強化プラスチック）
寸法	6000 mm, 11800 mm, 標準規格に準拠
重量	標準仕様（FRP）に準拠、重量は別途見積
標準仕様	930mm
オプション仕様	840mm
標準仕様	660mm
標準仕様	1.0±0.1mm
	1.2 ± 0.1 mm
	1.5 ± 0.1 mm
	2.0±0.1mm
標準仕様	1.7±0.1mm/0.1mm
	2.1±0.1mm/0.1mm
	2.6±0.1mm/0.1mm
	3.0±0.1mm/0.1mm
標準仕様（FRP）に準拠	
標準仕様/20 FCL (21 単位)	標準仕様/40 FCL (26 単位)
12,000 mm	15,000 mm
10,000 mm	12300 mm
8000m2	10,000 mm
7000m2	8600m2

標準仕様（FRP）に準拠 ZXC 標準仕様（FRP）に準拠 [ZXC](#)

CUSTOMER CASE SHOW

Has more than ten years of production experience



厚度:	1.0 mm-2.8 mm
规格:	1130/ 930/ 900/ 840mm
材质:	铝镁锰合金
表面处理:	氟碳喷涂/ 阳极氧化
应用:	机场航站楼、高铁站、会展中心、体育场馆、学校、医院、酒店、别墅、工业厂房、仓库、农业大棚、园林景观、市政设施、交通设施、电力设施、水利设施、环保设施、其他建筑
优势:	强度高、耐腐蚀、使用寿命长、施工方便、维护简单、美观大方、节能环保、可回收利用

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS “ TO CHOOSE US

Iron tiles can be directly covered



*sound
insulation*

*Anti
-corrosion*

insulation

*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening



The light is astigmatism, the light is soft, and the light transmittance is high.

Zhongxingcheng New Material Co., Ltd. 主要从事塑料挤出、注塑等塑料制品的生产，产品种类丰富，包括 ASA, APVC, PVC, PC, FRP 等。



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



— 01 —

ONLINE CONSULTATION

Provide professional product
consultation



— 02 —

PROVIDE PRICING

Provide reasonable price for
product performance



— 03 —

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





— **04** —

ORDER PRODUCTION

Professional and rapid production
of multiple production lines

— **05** —

AFTER DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

* 請問如何包裝？

* 請問 包裝時需要注意哪些事項？ 包裝時需要注意哪些事項？ 包裝時需要注意哪些事項？ 包裝時需要注意哪些事項？ 包裝時需要注意哪些事項？

* 請問如何包裝？

* 請問 包裝時需要注意哪些事項？ 包裝時需要注意哪些事項？ 包裝時需要注意哪些事項？

* 請提供貴公司之詳細資料，包括公司名稱、地址、電話、傳真、電子郵件、網址等？

* 請提供 貴公司之產品目錄或 OEM 及 ODM 之產品目錄，以便我們參考及選擇？

* 請提供貴公司之產品目錄？

* 請提供貴公司之產品目錄，以便我們參考及選擇？

* 請提供貴公司之產品目錄，以便我們參考及選擇？

* 請提供貴公司之產品目錄，以便我們參考及選擇？

* 請提供貴公司之產品目錄，以便我們參考及選擇？

* 請提供貴公司之產品目錄，以便我們參考及選擇？

• 請提供貴公司之產品目錄，以便我們參考及選擇？

• FOB Shipping Port: Foshan, 佛山, 廣東省