





Factory display



9 production lines



Raw material warehouse



# Product comparison

Learn all about our products

Dacheng resin roofing tile

Recyclable resin roofing tiles



Brand new raw materials imported  
bright color, long service life  
30~50 years



Recycled materials, dull color, easy  
to have black spots in appearance  
very short life.



Brand new material, good  
plasticization, long service life



Recyclable material, reduced  
toughness, many impurities,  
easy to break



ASA surface thickness 0.1~0.15mm  
does not foam and does not fall off



The thickness of the surface layer of  
the film is 0.05~0.1mm, which is  
easy to blister and fall off

# Exhibition



# Certificate

# Security sense of authoritative testing

## Multiple quality inspection and testing to ensure good quality.




IOS9000 certified



China Metrology Certification



CAL certification







SGS



# Packaging



## FAQ

\* 請問你們公司生產的屋頂瓦片有幾種顏色？

\* 請問 你們公司生產的屋頂瓦片 有幾種規格？ 請問你們公司生產的屋頂瓦片 有幾種規格？ 請問你們公司生產的屋頂瓦片 有幾種規格？

\* 請問你們公司生產的屋頂瓦片有幾種規格？

\* 請問你們公司生產的屋頂瓦片 有幾種規格？ 請問你們公司生產的屋頂瓦片 有幾種規格？

\* 請問你們公司生產的屋頂瓦片有幾種規格？

\* 請問 你們公司生產的屋頂瓦片 OEM 還是 ODM 請問你們公司生產的屋頂瓦片 有幾種規格？

\* 請問你們公司生產的屋頂瓦片有幾種規格？

\* 請問你們公司生產的屋頂瓦片 有幾種規格？ 請問你們公司生產的屋頂瓦片 有幾種規格？

