

Product show

本公司生產的 [PVC 管](#) 具有優良的耐腐蝕性、強韌性和易於安裝的特性。PVC 管廣泛應用於建築、工業和農業領域。其優點包括：

1. 耐腐蝕性強
2. 強韌耐用
3. 安裝簡便
4. 價格低廉
5. 易於維護
6. 環保無毒



zxc roofing tile industry

After sales less is really good

Ten years of slow fading, **30** years of warranty



GOOD CHOICE

Our advantage



Intimate service, strong product supply capacity



product available



A variety of styles and specifications sufficient stock



Support customization



Specifications and sizes can be consulted with customer service in detail, and quotations can be customized



Worry-free after sales



Manufacturers wholesale quality assurance, affordable prices, worry-free after-sales

SOURCE MANUFACTURER

>



THE TROUBLES OF TRADITIONAL ROOF TILES

#

other products

×



severely faded

Wind and sun soften and fade



There is a gap

Uneven with gaps, leaking rain



uneven color

Weathered uneven color
phenomenon



Fragile

Fragile and complicated
to install

our products ✓

Ten years of slow fading, 30 years of warranty



Uniform color, durable and not easy to fade
Good quality, durable and bright.



high toughness



Strong pressure resistance

Effective insulation



good sound insulatio



thermal and acoustic insulation high-quality
Good sound insulation effect in case of external noise



preservative
Anti-acid and alkali



flame retardant performance
b1 class fire performance

PRODUCT PARAMETERS

#

>



thickness: 1.0mm-3.0mm

width: 1130/980/900/840/1080mm

length: customizable

waveform: big hang, small wave

type: asa plastic roofing tile

Be applicable: Factory buildings, ware houses, markets, residences, market roads, canopies, chemically corrosive factories

A variety of colors, optional to build different architectural styles

More colors can be customized



<Mlight yellow>



<dark blue>



<grass green>



<Beige>

Accessories and Installation Diagram



*pvc plastic waterproof cap, used with self-tapping screws to fix the tile on the skeleton



CUSTOMER CASE SHOW





Factory renovation



Our Factory

Zhongxingcheng New Material Co., Ltd. 佛山市南海区 Foshan City, Nanhai District China
ASA,

APVC, PVC, PVC, PVC, FRP, PVC, PC



Quality inspection instruments strictly control the quality

Each batch of products has undergone rigorous testing.



Gravity testing



Hardness testing



Tensile force testing



Impact resistance testing

Factory display



In-stock inventory



Own production line



Own production line



Exhibition



Certificate

Official quality inspection, quality assurance

Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



MA
201812121212

检

佛山市质
Foshan Supervision

佛山市质量计量监督检测中心
检验报告

No. G14-WT1489

No. G14-WT1489
共 2 页 第 2 页

序号	检测项目	单位	标准要求	检测结果	判定
1	外观	—	表面光滑平整, 厚度均匀, 色泽一致, 无裂纹、缺口、鼓孔、烧焦、气泡、明显麻点、杂质点	符合	合格
2	密度	g/cm ³	1.45~1.65	1.64	合格
3	弯曲性能	mm	支撑跨度300mm, 载荷40kg, 允许挠度≤50	15	合格
4	冲击性能	—	1kg重钢球, 1.5m自由落体, 冲击试样无碎裂, 试样经冲击试验后不得产生贯穿的孔穴或裂纹	符合	合格
5	吸水率	%	≥60	43	合格

审核: 王博斌
主检: 梁德聪

全部合格

No. G14-WT1489

中心

共 2 页 第 1 页

生产日期: —

编号或批号: —

样品编号: —

检测类别: 委托检测

样品数量: 2件

检测日期: 2019年02月24日

检测人: 李彦平

0046标准的要素:

佛山市质量计量监督检测中心
“诚信 专业 公正 服务”

主检: 梁德聪

Packaging



FAQ

* 如何包裝才能確保產品安全？

* 如何確保包裝材料符合環保要求？
我們採用可回收的包裝材料，並在包裝過程中減少廢料的產生。此外，我們還提供多種包裝方案，以滿足不同客戶的需求。

* 如何確保包裝過程中的產品質量？

* 我們採用先進的包裝設備和技術，確保包裝過程中的產品質量。此外，我們還提供專業的包裝服務，以確保產品在運輸過程中的安全。

* 請提供詳細的技術規格書或產品說明書？

* 請提供 OEM 或 ODM 服務？

* 請提供詳細的報價單？

* 請提供詳細的生產流程和質量控制措施？

* 請提供詳細的交付和物流方案？

* 請提供詳細的包裝和運輸要求？

* 請提供詳細的付款條件？

* 請提供詳細的付款條件：T/T 30% 預付

• 請提供詳細的付款條件：7 天內 30%

• FOB Shipping Port: 請提供詳細的港口信息