

Product show

ZXC ([FRP Corrugated Sheet Supplier China](#)) We Supply FRP tiles have good light transmission and are usually suitable for tourist resort villa applications, covering farms, and so on.






Produce name	frp Roof Sheet
□□□□□□□□	frp-01
surface material	Fiberglass
□□□□□□□□	customized
20HQ/40HQ	4500 square metters/6000 Square metters
Warranty	10 □□
□□□□	1 layers
delievery time (one container)	5working days
Certification	IS09001 SGS
□□□□□□□□□□	Villas,Townhouse,Carports and so on
main market	Middle East South Africa South America Southeast Asia
characteristic	wind resistance heat resistance Waterproof
□□□□□□□□□□□□□□□□	T/T Or L/C


More Types

Hot



930mm(effective width:840mm)


Hot



930mm(effective width:814mm)

Hot

FRP 900



930mm (effective width:900mm)


FRP 961型



FRP 909




FRP 706



760mm (effective width:706.25mm)

FRP 760



800mm (effective width:760mm)

Zhongxingcheng New Material Co., Ltd. is located in Foshan City, Nanhai District China is a manufacturer specializing in the production of ASA synthetic resin tile, APVC anti-corrosion composite tile, PVC anti-corrosion tile, PVC sink, PVC plate, [**Transparent FRP Roof Sheet**](#), PVC, PC transparent tile.

Our Factory



Engineering case



Exhibition



Certificate



Foshan Supervision Testing Centre of Quality and Metrology
Test Report

No.	Item	Unit	Requirement	Result	Status
1	Appearance	—	The color of tile should be uniform. There should be no bubble, crack or visible impurities on the surface. Edge of the tile should be clean without dust. Warpage should be less, and tolerance on warpage.	Confirmed	Pass
2	Walk distance	mm	≤ 10	8	Pass
3	Thickness deviation	mm	± 0.2	0.15	Pass
4	Density	g/cm ³	—	1.95	—
5	Break strength	N/m ²	≥ 20	30	Pass
6	Flexural strength	%	≥ 20	30	Pass
7	Water absorption (1h, 3h, 7d)	—	No significant change in water absorption rate.	Confirmed	Pass
8	Acid resistance (20%, HCl, 14d)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Alkali resistance (20%, NaOH, 14d)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Freeze-thaw resistance (5 cycles)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
11	Impact resistance (1kg, 1m)	—	≤ 10	12	Pass
12	Change index	%	≤ 0.2	0.15	Pass

Foshan Supervision Testing Centre of Quality and Metrology
Test Report

No.	Item	Unit	Requirement	Result	Status
1	Appearance	—	The surface should be smooth with uniform color and texture. There should be no bubble, crack, visible impurities, color spots.	Confirmed	Pass
2	Surface layer thickness	mm	≥ 0.15	0.18	Pass
3	Tensile strength	N/m ²	≥ 20	28	Pass
4	Flexural strength	%	≥ 20	28	Pass
5	Flexural modulus	N/m ²	≥ 2000	2800	Pass
6	Density	g/cm ³	—	1.98	Pass
7	Water absorption (1h, 3h, 7d)	—	No significant change in water absorption rate.	Confirmed	Pass
8	Acid resistance (20%, HCl, 14d)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
9	Alkali resistance (20%, NaOH, 14d)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
10	Freeze-thaw resistance (5 cycles)	—	No obvious color change or delamination phenomenon.	Confirmed	Pass
11	Impact resistance (1kg, 1m)	—	≤ 10	12	Pass
12	Change index	%	≤ 0.2	0.15	Pass



Packaging



FAQ

***Are you manufacturer or trader?**

*Yes, we are real Manufacturer, there are many pictures in our company introduction .if you need other special product, we will do our best to help you, so we can build a long-term business relationship.

***Can I order the product with i want to profile?**

*Of course you can, also we will produce the products according to your detail requests.

***Can you put my company's brand on your products?**

*Yes,we are accept OEM&ODM service.But we need some information about your company.

***How to install the roofing sheet?**

*Please contact our service staff, we have installation video for you.

***Can you provide samples for me to open the market and test quality?**

*Yes,we can.We can provide free samples to you ,Could you pay the shipping cost?Please contact our service staff.

***What is your trade term?**

- * Payment: T/T 30% in advance, balance before shipment.
- Production Lead Time: Within 7 working days after 30% deposit
- FOB Shipping Port: Foshan,Guangzhou,Shenzhen