

Product show

FRP 的 ZXC FRP 具有优异的耐腐蚀性能，广泛应用于化工、医药、食品等行业。其优异的耐腐蚀性能使其成为工业领域的首选材料。

FRP 的耐腐蚀性能：

FRP 的耐腐蚀性能可达 60-85%。FRP 具有优异的耐腐蚀性能，广泛应用于工业领域。

FRP 的耐腐蚀性能：

FRP 的耐腐蚀性能可达 1.3-2.0。FRP 具有优异的耐腐蚀性能，广泛应用于工业领域。

FRP 的耐腐蚀性能可达 80。FRP 具有优异的耐腐蚀性能，广泛应用于工业领域。

FRP 的耐腐蚀性能，FRP 具有优异的耐腐蚀性能：

FRP 的耐腐蚀性能可达 10。FRP 具有优异的耐腐蚀性能，广泛应用于工业领域。

ZXC 的 FRP 具有优异的耐腐蚀性能，广泛应用于工业领域。FRP 具有优异的耐腐蚀性能，广泛应用于工业领域！



ZXC Roof Tile Industry

Reliable quality and worry-free after-sales

FRP LIGHTING ROOF TILE



***10-year
warranty***



Product Name	frp-01	
Material	6000 mm, 11800 mm	
Dimensions	930mm, 840mm, 660mm	
Weight	1.0±0.1kg, 1.2 ± 0.1 kg, 1.5 ± 0.1 kg, 2.0±0.1kg	
Lead Time	1.7±0.1mm/mm, 2.1±0.1mm/mm, 2.6±0.1mm/mm, 3.0±0.1mm/mm	
Order Quantity	20 FCL (21 containers)	40 FCL (26 containers)
Area	12,000 sq.m	15,000 sq.m
Volume	10,000 m ³	12,300 m ³
Weight	8000m ²	10,000 sq.m
Weight	7000m ²	8600m ²

Product Name: frp-01

Material: 6000 mm, 11800 mm

Dimensions: 930mm, 840mm, 660mm

Weight: 1.0±0.1kg, 1.2 ± 0.1 kg, 1.5 ± 0.1 kg, 2.0±0.1kg

Lead Time: 1.7±0.1mm/mm, 2.1±0.1mm/mm, 2.6±0.1mm/mm, 3.0±0.1mm/mm

Order Quantity: 20 FCL (21 containers) / 40 FCL (26 containers)

Area: 12,000 sq.m / 15,000 sq.m


Volume: 10,000 m³ / 12,300 m³

Weight: 8000m² / 10,000 sq.m

Weight: 7000m² / 8600m²

CUSTOMER CASE SHOW

Has more than ten years of production experience



厚度:	1.0 mm-2.8 mm
宽度:	1130/ 930/ 900/ 840mm
长度:	任意长度
表面处理:	阳极氧化/ 电泳涂装/ 粉末喷涂
应用:	幕墙/ 装饰板
备注:	可根据客户要求定制各种规格、表面处理、颜色、厚度、宽度、长度等。

A variety of colors, can build different architectural styles

More colors can be customized



light yellow



blue



grass green



Beige

PRODUCT DISPLAY

Authentic product photography highlights the quality of details



CUSTOMER CASE SHOW

More than ten years of production experience



APPLICABLE SCENE DISPLAY

scope of application

~



planting shed

Rainproof, constant temperature
moisturizing space, transparent



roof

Good light transmission
performance, no rain leakage



Villa shed

Bright colors, more class



Recreation area

Color unevenness due to weathering

SIX REASONS TO CHOOSE US

“

Iron tiles can be directly covered




*sound
insulation*

*Anti
-corrosion*

insulation


*High
temperature
resistance*

*anti
-stress*



“ SIX PROPERTIES ”

Good quality and low price. Quality assurance, trustworthy



01 High temperature resistance, frost crack resistance

The product is a solid molecular material, and the operating temperature is -40°-120°



02 Strong bearing capacity, more impact resistance

Add high quality glass fiber



03 Iron tiles can be directly covered

Exclusive research and development technology, more cost-saving.



04 Impact resistance

Shock resistant, not easy to break



05 Good flame retardant performance

Maintain stable performance in the temperature range of -40° - 120° without softening



06

Good light transmission

The light is astigmatism, the light is soft, and the light transmittance is high.


Our Factory

Zhongxingcheng New Material Co., Ltd. 专业生产各种塑料薄膜 农用薄膜 工业薄膜 各种塑料颗粒
ASA, 各种塑料颗粒 APVC, 各种塑料颗粒 PVC, 各种塑料颗粒 PVC, 各种塑料颗粒, 各种塑料颗粒 FRP, PVC, 各种塑料颗粒 PC



FACTORY REAL SHOT DISPLAY

Professional production to do every step



Sampling and testing each batch of products to ensure quality

X



DISPLAY

CUSTOM PROCESS

Easy shopping, quality assurance,
after-sales rest assured



01

ONLINE CONSULTATION

Provide professional product
consultation



02

PROVIDE PRICING

Provide reasonable price for
product performance

03

PREPAID CUSTOMIZATION

Deposit in advance according
to different proportions





— 04 —

ORDER
PRODUCTION

Professional and rapid production
of multiple production lines

— 05 —

AFTER
DELIVERY

Intimate and assured after-sales
service



Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

* 질문: ...?

* 답: ...

* 질문: ...?

* 답: ...

* 貴司の製品は、他社製品と比べて何が優れているのか？

* 貴司は OEM または ODM 製品を提供していますか？

* 貴司の MOQ (Minimum Order Quantity) は？

* 貴司のリードタイムはどのくらいですか？

* 貴司の品質管理システムはどのようなものですか？

* 貴司は ISO 9001 認証を取得していますか？

* 貴司の支払い条件は？

* 貴司の支払い条件: T/T 前払い 30% 後払い 70%

• 貴司の支払い条件: 前払い 7 日以内 30%

• FOB Shipping Port: Foshan, 貴司の倉庫, 貴司の工場