# Product show

1- [illegible] [illegible] [illegible]

2. [illegible] - [illegible] [illegible]

3. [illegible] [illegible] [illegible] [illegible] [illegible]

4. [illegible] [illegible] [illegible]

| | |
|---|---|
| [illegible] | [illegible] ASA [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] [illegible] [illegible]([illegible]) |
| [illegible] | [illegible] [illegible] [illegible] [illegible]- [illegible] - [illegible] -[illegible] |
| [illegible] | 25 [illegible] |
| [illegible] | ISO9001 / [illegible] / CE |
| [illegible] [illegible] | 100 [illegible] |
| [illegible] | 1x20GP [illegible] 6 [illegible]- 1x40GP [illegible] 7 [illegible] |
| [illegible] | [illegible] 8 [illegible] 13,500 [illegible] |
| [illegible] | T/T [illegible] 30% [illegible] [illegible]<br>[illegible]/C, |
| [illegible] | [illegible] Full Container Load (FCL) [illegible]<br>[illegible] (LCL) [illegible] [illegible] |
| [illegible] | [illegible] PE |
| [illegible] | [illegible] / [illegible] / [illegible] |
| [illegible] | [illegible], [illegible], [illegible], [illegible], [illegible],<br>[illegible] Flat to Slope [illegible] |

| | |
|---|---|
| [illegible] | #1050-160-30 |
| [illegible] | [illegible] |

| | |
|---|---|
| [illegible] | 1,050[illegible] |
| [illegible] | 960[illegible] |
| [illegible] | 2.3 [illegible]. / 2.5 [illegible]. / 2.8 [illegible]. / 3.0 [illegible] |
| [illegible] | [illegible] |
| [illegible] | [illegible] / [illegible] / [illegible] / [illegible] / [illegible] |
| [illegible] | 160[illegible] |
| [illegible] | 30[illegible] |
| [illegible] | 219[illegible] |

[illegible]

[illegible]: [illegible] ASA [illegible] 500 GE [illegible] 10 [illegible] 0.15 [illegible]. [illegible] 0.15-0.18 [illegible]..

[illegible]: [illegible] 1:1 [illegible]

[illegible]:[illegible]

[illegible]

- [illegible] ([illegible] 10 [illegible])
- [illegible]

- [illegible]
- [illegible] 60% [illegible].

- [illegible]
- [illegible] 45% [illegible]

- [illegible]
- [illegible] B1 [illegible] GBB8624-2006

- [illegible]
- [illegible] 0.325w/mk [illegible] 1/300 [illegible] 1/50 [illegible] 1/2000 [illegible]

- [illegible]
- [illegible]









Purplish Red | Brick Red | Sky Blue | Black | Dark Green

| | | | | | |
|---|---|---|---|---|---|
| Product name | | ASA Synthetic Resin Roof Tile | | | |
| Material | | ASA(Acrylonitrile Styrene acrylate copolymer)+PVC(Polyvinyl chloride) | | | |
| Type | | Spanish Style | | | |
| Overall Width | | 1050mm | | | |
| Effective Width | | 960mm | | | |
| Thickness | | 2.3mm－3.0mm | | | |
| Length | | Customized(According to the size of container) | | | |
| Color | | Customized | | | |
| Purlin Spacing | | 660mm | | | |
| Thickness | | 2.3mm | 2.5mm | 2.8mm | 3.0mm |
| Weight (kg/SQM) | | 4.6 | 5.0 | 5.6 | 6.0 |
| Container Load capacity | 20 GP (21 Tons) | 4500 | 4200 | 3750 | 3500 |
| | 40 GP (26 Tons) | 5600 | 5200 | 4600 | 4300 |
| Feature | | 1.Excllent Anti-corrosion Performance<br>2.Good Waterproof Performance<br>3.Fire Resistance<br>4.Heat insulation<br>5.Sound insulation<br>6.Weather fastness,ageing resistance | | | |
| Package | | Nude or standard export package | | | |

| Item No. | Name | Picture | Item No. | Name | Picture |
|---|---|---|---|---|---|
| 1 | ASA Synthetic Resin Tile | | 7 | Main Ridge Tile Head | |
| 2 | Main Ridge Tile | | | Main Ridge Turnup | |
| 3 | Tilted Ridge Tile | | 8 | Four-way | |
| 4 | Tilted Ridge Tile Head | | 9 | Left / Right Eave Sealing Tile | |
| | Tilted Ridge Turnup | | 10 | Guide Plate Tile | |
| 5 | Modern eave drip tile | | 11 | Vertical Wall Flashing Tile | |
| | Antique eave drip tile | | 12 | Screw And Hat | |
| 6 | Three-way | | | | |

# Accessories

# Certificate

# Our Factory

# Our Customer

# Packaging

# FAQ

- [illegible]?

- [illegible]

- [illegible]?

- [illegible]

- [illegible]?

- [illegible] [illegible] OEM [illegible] ODM [illegible]

- [illegible]?

- [illegible] [illegible].

- [illegible] [illegible]?

- [illegible]

- [illegible]?

- [illegible]: T/T [illegible] 30% [illegible]

• [illegible]: [illegible] 7 [illegible] 30%

• FOB Shipping Port: Foshan, [illegible], [illegible]