


Product show

ZXC **Ngói lợp nhựa tổng hợp ASA** Siêu dẻo dai, bảo hành 30 năm. Nó sử dụng nhựa tốt hơn làm nguyên liệu thô để đảm bảo độ dẻo dai tốt hơn và tuổi thọ dài hơn. Bề mặt sáng như gương. Không chứa amiăng và các yếu tố phóng xạ, có thể tái chế và đáp ứng đầy đủ các yêu cầu bảo vệ môi trường xanh. Nhà máy cao cấp, nhà máy thép, nhà kho, chợ nông sản, tiếp cận thị trường, nhà kho và các vật liệu lợp mái cao cấp khác.

ASA SYNTHETIC RESIN ROOFING TILES


Scenic areas and the pastoral farmhouse
use the most roofing tiles.





tên sản phẩm	Mái ngói nhựa tổng hợp
Thương hiệu	ZXC
Nguồn gốc	Thành phố Phật Sơn, tỉnh Quảng Đông, Trung Quốc (Đại lục)
Vật liệu	Acrylonitrile Styrene acrylate copolyme, Polyvinyl clorua, Bột canxi, các vật liệu hóa học khác
Bảo đảm	25 năm
chứng nhận	ISO9001/SGS/CE
Thời gian giao hàng	1x20GP trong 6 ngày, 1x40GP trong 7 ngày
Chiều dài phần	219mm
Chiều rộng tổng thể	1050mm
Chiều rộng hiệu quả	960mm
độ dày	2.3mm/2.5mm/2.8mm/3.0mm
Chiều dài	Phải là bội số của phần
khoảng cách sóng	160mm
Chiều cao sóng	30 mm

Nhấp chuột [Nhà cung cấp ngói lợp ASA PVC](#) để tìm hiểu thêm



Name: synthetic resin

Model:1050mm

Material: synthetic resin

Origin: Foshan, Guangdong

Thickness: 2.5-3.0mm

Applicable scenarios: villa roofs, tourist attractions, rural transformation

Synthetic resin roofing tile color card selection

customized any color



Brick red



Purplished red



Dark green




Gray



Blue

Roofing accessories




Installation considerations

- 1.The purlins can use square pipe (60x40x3mm)
- 2.The purlins can use C-shaped steel (100x50x20x3mm)
- 3.The purlins can use anti-corrosion wood square (60x40mm)
- 4.purlin spacing of 660mm

Dimensional measurement method


both sides



1. Measure the dimension of the **A** top ridge.
2. Measure the dimensions of **B**
3. Measure the dimensions of **C**

Measure all the dimensions (don't forget the eaves)

four sides



1. Measure the dimension of the **B** top ridge.
2. Measure the dimensions of ramp **A**
3. Measure the width of **C**
4. Measure the dimensions of the **D** diagonal ridge.
5. Measure the dimensions of ramp **E**
6. Measure the width of **F**

Measure all the dimensions (don't forget the eaves)

Our Factory

Zhongxingcheng New Material Co., Ltd. tọa lạc tại thành phố Phật Sơn, quận Nam Hải Trung Quốc là nhà sản xuất chuyên sản xuất gạch nhựa tổng hợp ASA, gạch composite chống ăn mòn APVC, gạch chống ăn mòn PVC, bồn rửa PVC, tấm nhựa PVC, tấm trong suốt Tấm lợp FRP, ngói trong suốt PVC, PC.



Factory display



9 production lines



Raw material warehouse



Product comparison

Learn all about our products

Dacheng resin roofing tile



Brand new raw materials imported
bright color, long service life
30~50 years

Recyclable resin roofing tiles



Recycled materials, dull color, easy
to have black spots in appearance
very short life.



Brand new material, good
plasticization, long service life



Recyclable material, reduced
toughness, many impurities,
easy to break



ASA surface thickness 0.1~0.15mm
does not foam and does not fall off



The thickness of the surface layer of
the film is 0.05~0.1mm, which is
easy to blister and fall off

Exhibition



Certificate

Security sense of authoritative testing

Multiple quality inspection and testing
to ensure good quality.



IOS9000 certified



China Metrology Certification



CAL certification



Packaging



FAQ

*** Bạn là nhà sản xuất hay thương nhân?**

* Vâng, chúng tôi là Nhà sản xuất thực sự, có rất nhiều hình ảnh trong phần giới thiệu công ty của chúng tôi. Nếu bạn cần sản phẩm đặc biệt khác, chúng tôi sẽ cố gắng hết sức để giúp bạn, vì vậy chúng tôi có thể xây dựng mối quan hệ kinh doanh lâu dài.

*** Tôi có thể đặt sản phẩm với hồ sơ tôi muốn không?**

* Tất nhiên là bạn có thể, chúng tôi cũng sẽ sản xuất các sản phẩm theo yêu cầu chi tiết của bạn.

*** Bạn có thể đưa thương hiệu của công ty tôi vào sản phẩm của bạn không?**

* Có, chúng tôi chấp nhận dịch vụ OEM & ODM. Nhưng chúng tôi cần một số thông tin về công ty của bạn.

*** Làm thế nào để cài đặt tấm lợp?**

* Vui lòng liên hệ với nhân viên dịch vụ của chúng tôi, chúng tôi có video cài đặt cho bạn.

*** Bạn có thể cung cấp mẫu để tôi mở cửa thị trường và kiểm tra chất lượng không?**

* Có, chúng tôi có thể. Chúng tôi có thể cung cấp các mẫu miễn phí cho bạn, Bạn có thể trả chi phí vận chuyển không? Vui lòng liên hệ với nhân viên dịch vụ của chúng tôi.

*** Thuật ngữ thương mại của bạn là gì?**

* Thanh toán: T / T trước 30%, số dư trước khi giao hàng.

- Thời gian sản xuất: Trong vòng 7 ngày làm việc sau khi đặt cọc 30%
- Cảng vận chuyển FOB: Phạt Sơn, Quảng Châu, Thâm Quyển